


# Pro PA



**Magnat**

# Pro PA



Magnat Pro PA 112



Magnat Pro PA 112



**Magnat**

## BESONDERHEITEN

- Professioneller Beschallungslautsprecher
- Stabiler Gehäuseaufbau aus 19mm MDF, robuste Schutzecken und resonanzarmes Schutzgitter
- Druckkammer Hochtontreiber mit 1.5“-Membran und angeflanschten 90°/40° Horn
- Hochbelastbarer Langhub Tieftöner mit verstärkter Papiermembran und kräftigem Magnetsystem
- Hochbelastbare Frequenzweiche
- Extra stabile und resonanzarme Tragegriffe
- Anschlußterminal mit Schraubklemmen und 6.3mm Klinkenbuchse
- Strömungsoptimierte Bassreflexöffnungen

## HIGHLIGHTS

- Professionell PA speaker
- Stable 19mm MDF cabinet, rugged protection edges and resonance-free metal grill
- 1.5“ (38mm) compression horn tweeter
- Longthrow woofer-midrange with reinforced papercone and high power magnetsystem
- Highly efficient crossover
- Extra stable and low resonant carry handles
- Speaker terminal with screwterminal and 6.3mm plug
- Airflow optimized bassreflex ports

# Pro PA 112

## Technische Daten/Specifications

<b>Prinzip</b> <b>Principle</b>	<b>2 – Wege Baßreflex</b> <b>2 – way, bass reflex</b>
<b>Bestückung</b> <b>Equipment</b>	<b>1x 12“ (30 cm) Tief-Mitteltöner,</b> <b>1.5“ DruckkammerHochtonhorn</b>
<b>Equipment</b>	<b>1x 12” woofer-midrange,</b> <b>1.5” Compression-Horntweeter</b>
<b>Belastbarkeit (RMS/Max.)</b> <b>Power Handling (RMS/Max)</b>	<b>250 / 600 Watt(s)</b> <b>250 / 600 Watt(s)</b>
<b>Impedanz</b> <b>Impedance</b>	<b>4-8 Ohm(s)</b>
<b>Frequenzbereich</b> <b>Frequency Response</b>	<b>30 – 22.000 Hz</b> <b>30 – 22.000 Hz</b>
<b>Übergangsfrequenz</b> <b>Crossover Frequencies</b>	<b>2.800 Hz</b> <b>2.800 Hz</b>
<b>Empfohlene Verstärkerleistung</b> <b>Recommended Amplifier Output</b>	<b>&gt; 50 Watt(s)</b> <b>&gt; 50 Watt(s)</b>
<b>Wirkungsgrad (2.8V/1m)</b> <b>Sensitivity</b>	<b>95 dB</b> <b>95 dB</b>
<b>Ausführung</b> <b>Cabinet surface</b>	<b>schwarzer Teppich</b> <b>black carpet</b>
<b>Maße (BxHxT)</b> <b>Dimensions (WxHxD)</b>	<b>385 x 635 x 325 mm</b> <b>385 x 635 x 325 mm</b>
<b>Gewicht</b> <b>Weight</b>	<b>19 Kg</b> <b>19 kg</b>

ART. NR.: 101 012

EAN: 40 18843 01012 0

# Magnat

# Pro PA 212

## Technische Daten/Specifications

<b>Prinzip</b> <b>Principle</b>	<b>2 – Wege, Doppelbass Baßreflex</b> <b>2 – way, bass reflex</b>
<b>Bestückung</b> <b>Equipment</b>	<b>2x 12“ (30 cm) Tief-Mitteltöner,</b> <b>1.5“ DruckkammerHochtonhorn</b>
<b>Equipment</b>	<b>2x 12” woofer-midrange,</b> <b>1.5” Compression-Horntweeter</b>
<b>Belastbarkeit (RMS/Max.)</b> <b>Power Handling (RMS/Max)</b>	<b>400 / 1000 Watt(s)</b> <b>400 / 1000 Watt(s)</b>
<b>Impedanz</b> <b>Impedance</b>	<b>4-8 Ohm(s)</b>
<b>Frequenzbereich</b> <b>Frequency Response</b>	<b>26 – 22.000 Hz</b> <b>26 – 22.000 Hz</b>
<b>Übergangsfrequenz</b> <b>Crossover Frequencies</b>	<b>2.800 Hz</b> <b>2.800 Hz</b>
<b>Empfohlene Verstärkerleistung</b> <b>Recommended Amplifier Output</b>	<b>&gt; 50 Watt(s)</b> <b>&gt; 50 Watt(s)</b>
<b>Wirkungsgrad (2.8V/1m)</b> <b>Sensitivity</b>	<b>97 dB</b> <b>97 dB</b>
<b>Ausführung</b> <b>Cabinet surface</b>	<b>schwarzer Teppich</b> <b>black carpet</b>
<b>Maße (BxHxT)</b> <b>Dimensions (WxHxD)</b>	<b>385 x 1005 x 390 mm</b> <b>385 x 1005 x 390 mm</b>
<b>Gewicht</b> <b>Weight</b>	<b>30 Kg</b> <b>30 kg</b>

ART. NR.: 101 022

EAN: 40 18843 01022 9

# Magnat